

**Wincor Nixdorf ProCash**  
1500xe Rear Load Lobby ATM

**Simple for you,  
convenient for  
your customers**



***CASHCARD***

The Wincor Nixdorf ProCash 1500xe Rear Load Lobby ATM can be the ideal solution for an indoor location with its sleek design, compact size and rear load access – which provides more security and privacy when the ATM is being accessed, cashed and serviced from the rear.

### Easy for your customers to use

With a large colour screen, simple keypad and logical user menus, the ProCash 1500xe ensures cardholders can complete transactions quickly and easily. This ATM can enhance the customer experience with features such as the dip hybrid card reader to ensure no customer cards are captured.

### Simple for you to manage

With its sleek and compact design, the indoor ProCash 1500xe Rear Load Lobby ATM is a model used for selected sites and is aimed at locations that require an indoor ATM that can be accessed, cashed and serviced from the rear. Cash replenishment and fault resolution is straightforward, with a user friendly interface and simple maintenance. The new Wincor Nixdorf ATM range also makes downloading the Electronic Journal easier, with the use of a USB stick rather than a floppy disk.

### Robust security features

The ProCash 1500xe also has the added feature of robust security including:

- A high level UL291 level 1 safe
- A digital combination lock

### Supporting your business

A Regional Account Manager will be in contact with you to discuss the most suitable connectivity solution for your premises including a TCP/IP wireless or DSL service option, and to determine the best cash replenishment options such as self funding or third party cash service.

Cashcard also provide end to end monitoring services 24 hours a day, 7 days a week, where our helpdesk is available to assist with enquiries and fault resolution.

# Wincor Nixdorf ProCash 1500xe Rear Load Lobby ATM

## Specifications

Wincor Nixdorf ProCash  
1500xe Rear Load Lobby ATM

### Dimensions

- Height: 1,398mm
- Height with fascia hood open: 1803mm
- Width: 450mm
- Depth: 822mm
- Weight: 485kg (approx)

### Customer interface

- Large 12.1" colour TFT LCD screen
- 8 stainless steel softkeys with Braille
- Numeric keypad with 4 function keys
- Dip hybrid card reader

### Receipt printer

- Thermal receipt printer
- Receipt roll capacity 2,900 receipts (approx)

### Cash dispenser

- Two cassette configuration\*
- Cassette capacity 2,500 notes (approx)
- Dual denomination
- Reject bin

### Security

- UL291 level 1 safe
- Digital combination lock

### Electronic platform

- Windows XP

### Additional feature

- TCP/IP connectivity (via Wireless or DSL)
- USB electronic journal download


\* up to four cassettes available.

Information current at April 2009.



## Dimensions


ProCash 1500xe Rear Load Lobby ATM (1500xe RL)



**Wincor Nixdorf ProCash**  
1500xe Rear Load Lobby ATM

## Service Area Requirement

ProCash 1500xe Rear Load Lobby ATM



Access to the ATM GPO and data points must be maintained at all times.

**Cashcard  
Australia Ltd**

Level 9  
168 Walker Street  
North Sydney  
NSW 2060  
Australia

**1300 655 627**