

**Wincor Nixdorf ProCash**  
1500xe Through-the-Wall ATM

**Simple for you,  
convenient for  
your customers**



***CASHCARD***

The Wincor Nixdorf ProCash 1500xe Through-the-Wall ATM can be the ideal solution for an outdoor location with its weatherized design, compact system size and rear load access – which provides more privacy when the ATM is being accessed, cashed and serviced from the rear.

### Easy for your customers to use

With a large colour screen, simple keypad and logical user menus, the ProCash 1500xe ensures cardholders can complete transactions quickly and easily. This ATM can enhance the customer experience with features such as the dip hybrid card reader to ensure no cards will be captured. With a through-the-Wall ATM, your customers can also access their cash 24 hours a day, 7 days a week.

### Simple for you to manage

With its sleek and compact design, the outdoor ProCash 1500xe Through-the-Wall ATM has been designed to fit into space restricted sites, with high ceiling requirements and a small footprint. Cash replenishment and fault resolution is straightforward, with a user friendly interface and simple maintenance.

The new and improved Wincor Nixdorf ATM range also makes downloading the Electronic Journal easier with the use of a USB stick rather than a floppy disk.

### Robust security features

The new Wincor ATMs have the added feature of robust security, including:

- A high level UL291 level 1 safe
- A digital combination lock

### Supporting your business

A Regional Account Manager will work with you to discuss the most suitable connectivity solution for your premises, including a TCP/IP wireless or DSL service option, and to determine the best cash replenishment options such as self funding or third party cash service.

Cashcard also provide end to end monitoring services 24 hours a day, 7 days a week for the device, where our helpdesk is available to assist with enquiries and fault resolution.

# Wincor Nixdorf ProCash 1500xe Through-the-Wall ATM

## Specifications

Wincor Nixdorf ProCash  
1500xe Through-the-Wall ATM

### Dimensions

- Height: 1,398mm
- Width: 450mm
- Width (incl heating): 535mm
- Depth: 822mm
- Depth with a wall thickness up to 45mm: 920mm
- Weight: approx 490kg

### Customer interface

- Large 12.1" colour TFT LCD screen
- 8 stainless steel softkeys with Braille
- Numeric keypad with 4 function keys
- Dip hybrid card reader

### Receipt printer

- Thermal receipt printer
- Receipt roll capacity 2,900 receipts (approx)

### Cash dispenser

- Two cassette configuration\*
- Cassette capacity 2,500 notes (approx)
- Dual denomination
- Reject bin

### Security

- UL291 level 1 safe
- Digital combination lock

### Electronic platform

- Windows XP

### Additional feature

- TCP/IP connectivity (via Wireless or DSL)
- USB electronic journal download

\* up to four cassettes available.

Information current at April 2009.



